Safe Lock Solutions PRODUCT CATALOG

A Miller Family Company

Spring / Summer 2024



Fewer Parts = Fewer Problems!





QSecurityIndustries.com



About QSecurity Industries...

QSecurity is the new name for a decades-old security technologies and education company headquartered in Nicholasville, Kentucky and owned by Clay Miller and Wes Day. Staff includes industry veterans Deanna DeBorde, Frieda Ellis, Ellis Gibbs, Ryan Griffeth, April Truitt, Lisa Young, & others and is ever expanding. QSecurity Products, QSecurity Education, and QTactical are all divisions of QSecurity Industries, the parent company. Over the years, Lockmasters, LSI and LTI have all called 1014 S. Main Street, Nicholasville, Kentucky home. The 22,000 sq. ft. facility is now the headquarters for all QSecurity Industries divisions - as well as NL Lock.

As for the NL Lock connection, legendary inventor Nick Gartner and Clay Miller have worked both together and separately in the high-security safe lock industry since the late 1960s. With Nick's health declining, in early 2023 he and Clay Miller entered discussions regarding the future of NL Lock. In late August, they inked a deal to transfer the company assets to QSecurity Industries, and on September 5, 2023, Nick passed away, knowing his brainchild had a secure future with an industry veteran and friend who would take his innovations forward.

Nick will forever be in our hearts. He was a friend, collegue, mentor, and a true innovator in the history of lock invention. — Clay Miller





QSecurity Industries is proud to have LockNet, Sargent & Greenleaf, Lockmasters® and MBAUSA as local neighbors.

> 859•241•2063 1014 South Main Street Nicholasville, Kentucky 40356



Greater networking is achieved with **Lock+ and LEADER** software Boards. *SEE:* "Software Features Chart" Page 8.

DALLAS KEY CAPABLE

OPENING

O

Page 12

LOCKS

Page 4	(PL)	UR20·xx	Universal RotoBolt	•	•	•	•	•	•	•	•
Page 5	Vds	EM20·xx	Large RotoBolt	•	•	•	•	•	•	•	•
Page 6	(U) VdS	EM35 •xx	Straight Bolt	•		•	•	•		•	•
Page 7	Vds	EM30-xx	MotorDrive Lock	•	•	•	•	•	•	•	•

Page 10

Page 11

Page 9

Software Features Chart - Page 8 Accessories - Page 17 WARRANTY - Page 18-19

Company Info - Page 2 & Back Cover

The Optional Dallas Key can be used as a dual credential when used with the User combination or it can be used to download the 100-event audit trail.

Page 13

QSecurity Industries NL Lock and other products are available through, Lockmasters®, MBAUSA and other distributors.

Page 15

Page 14


Page 16



Universal RotoBolt

UR20·xx
















Works With:





Large RotoBolt







Like the Universal, this innovative design offers 8-way flexibility in installation, and fits the industry standard "Magic Module." The EM20 may be mounted either RH, LH, VU or VD or it may be flipped over to block a reversed boltwork design. Ships standard with our Basic Board EM20•20, but may be ordered with a DIA EM20.50 or Digital Board EM20.60.



PI20exx Premier

PI80•xx Premier II

PI30 • xx Premier Dallas



TH20•xx

THinPut




ET20 • xx

EasyTouch









UL Type 1 VdS EN1300 Class B










QuickTouch





Straight Bolt

EM350xx

SECURITY OF LISTED



Comparable to traditional deadbolt-style safe locks, the EM35 fits the industry standard "Magic Module," employing a spindle to transmit motion from rotating keypad to lock body, thereby retracting the lock bolt. The exception is - when coupled with an EasyTouch keypad - the keypad is stationary, with the central knob retracting the lock bolt. When using with a Premier or Premier Dallas keypad, order the rotating versions (-Rx suffix). Included spindle accommodates a 5" door thickness. Longer spindles are available. Ships standard with our Basic Board EM35•20, but may be ordered with a DIA EM35•50 or Digital Board EM35•60.


Works With:

PI20•Rx PI30•Rx Premier Dallas Premier









3.33"

2.62"



DB-25-U





TH20•Rx

THinPut








1.02"

STRAIGHT BOLT

MotorDrive Lock

EM30 exx







Pl80•xx Premier II PI30•xx TH20•xx Premier Dallas THinPut










ET20•xx EasyTouch


QT20•xx QuickTouch
















SOFTWARE	BASIC	DIA	LOCK+	LEADER	
Users	1	9 (8)	9 (8)	up to 40	
TD Override Users		0 (1)	0 (1)	up to 10	
Manager	1	1	1	up to 4	
Service			1	up to 4	
Master			1	1 or 2	
Time Delay (TD)	0-99 min	0-99 min	0-99 min	0-99 min	
Open Window	1-19 min	1-19 min	1-19 min	1-19 min	
Dual Control Mode		X	X	X	
Daylight Saving Time (DST)			X	X	
Time Lock			X	X	
Weekly Program			1	4	
Special Events				X	
Immediate Time Lock			X	X	
Silent Alarm		X	X	Χ	
Remote Disable Input		X	X	X	
Satellite Board				X	
TCP/IP Interface				Optional	
Audit Trail (# of Events)		100	2000	2000	
Multi-Lock (# of Locks)				9	
Dallas Key / iButton		X		X	
OLED Screen			X	X	
BlueLE Module			Optional		
OneTime Code (OTC)			X	via TCP/IP	
Wrong Try Attempts	4	4	4	4	
Penalty Lockout Time	5 min	5 min	5 min	5 min	



See Leader Keypad Page 16 for more information.



Premier Keypad

PI20•Nx & PI20•Rx

Non-Rotating Keypad

Rotating Keypad







horizontally oriented mounting studs or use the Mounting Adapter Plate (MA2) for vertically oriented mounting studs. It has built-in LED lights for low-light conditions. The 9V battery access is via a sliding door at the keypad base. Stocked in ABS Black Velvet or Bright Chrome. Custom finish quotes upon request.

Works With: EM20 Large RotoBolt Lock Bolt

Works With: EM20 Large RotoBolt Lock Bolt

EM35 Straight Bolt

Figure RotoPrive RotoBolt Lock Bolt

Fewer Parts = Fewer Problems!



Premier II Keypad

PISO'NX







The NL Locks Premier II Keypad is the next latest in the Premier Keypad series. This keypad can accommodate either vertical or horizontal mounting holes. Available in ABS Black Velvet and Bright Chrome. The Premier II features built-in LED lights for effective use in lowlight conditions. Battery access is via a convenient pull-down drawer, eliminating the need for cable attachment at battery terminals.










Premier Dallas Keypad

P|30•Nx & P|30•Rx

Non-Rotating Keypad

Rotating Keypad





or use the Mounting Adapter Plate (MA2) for vertically oriented mounting studs. Battery access is via a sliding door at the base of the keypad.

Stocked in ABS Black Velvet or Bright Chrome and metal Matte Chrome. Custom finish quotes upon request. Works With: EM20 Large RotoBolt Lock MotorDrive RotoBolt Lock EM35 Straight Bolt


(1) (2) (3) (4) (5)



THinPut Keypad







can be used with the Dallas key by removing the bottom plug on the face of the keypad (for locks with DIA software). ThinPut requires either 9V Battery Box N7010 or one of our optional power regulator boxes (see Page 17) for wiring to external power sources. To ensure uninterrupted functionality during low battery situations or power outages, a 9V battery may be temporarily connected to the strategically placed 9V contacts at the keypad base. Requires no additional parts to convert from fixed keypad

to rotating for use with EM35 Straight Bolt lock. Stocked in Black Textured finish. THinPut will soon be available with OLED display for use with DIA software.

Battery Box N7010

External Power Source or Battery Box Required

















EM35

Bolt

EasyTouch Keypad

=T20*XX





The EasyTouch Keypad is a versatile option compatible with all NL Locks, offering the flexibility of use with or without a rotating knob. The top viewing keypad enhances convenience for viewing numbers and secure code input. When used without the knob, the front face of the keypad provides an excellent space for customization. When paired with a knob and spindle, it becomes compatible with the Straight Bolt Lock. Stocked in Textured Black finish.









QuickTouch Keypad

0T20'N3





The QuickTouch Keypad presents a user-friendly design with top reading and effortless code input. Ideal for corporate decor, it is available in Black Velvet and features built-in LEDs for effective use in low-light conditions. The front face offers ample space for customization, and the non-rotating keypad provides easy access to the 9V battery through a convenient sliding drawer. Mounts only on horizontally oriented mounting studs.









Premier Vision TE20.30A & TE20.30D







The Premier Vision keypad is designed for use with Terminator and Lock+ digital software boards. The Lock+ version features a BlueLE (Bluetooth) module and OTC (One Time Code) capability, while the Terminator version does not. If you have questions about which is right for your application, consult a member of our sales team. 9V battery access is via a sliding door at the keypad base. When coupled with our EM35 Straight Bolt lock, W024 Rotating Adapter Kit is required. Stocked in ABS Black Velvet or Bright Chrome.









The Leader







a cutting-edge advancement in the field of high-security locking systems. Real-time communication, dual custody, time-controlled access, multi-level code management, and customizable access permissions contribute to its comprehensive capabilities. The inclusion of the Dallas Key for dual authentication and the ability to download audit trails further enhances the security features. For more information, see our website or contact our sales team.



Works With: UR20 Universal RotoBolt UR20 Universal RotoBolt





Accessories

N7060 Battery/Alarm Box



The battery/alarm interface box is designed to work with DIA software locks to allow duress function when tied to facility alarm panel.

Cable is provided.

N7010 Auxiliary Battery Box



The auxiliary battery box provides power for your lock via a 9V battery increasing your lock's battery life.

W024 Rotating Adapter Kit







Includes P170 & P171 For use with Premier Keypad

MA2 Mounting Adapter Plate For use with
Premier Keypads
on safes with
mounting holes
at 12 o'clock &
6 o'clock.

N7050 Reset Box

The Reset Box allows recovery of factory settings for DIA locks.

P171 Dial Ring Bearing Plate

Mounts to the face of the container for either rotating or fixed THinPut. Included with THinPut keypads.

B040 PS Regulation Board

Power Supply Regulation Board

N4003 Battery Box

Battery Box with Power Supply Regulation Board

For other accessories, see our website or contact our sales team.







What is Covered:

QSecurity Industries, including its QTactical Division (hereinafter collectively referred to as Q) warrants all products manufactured by Q and sold under its trade names QSecurity Industries, QSecurity Products, QTactical, and NL Lock as outlined below. The sole and exclusive liability of Q under this warranty is limited to the repair and/or replacement of any product or component part covered by the warranty at the sole discretion of Q.

Who is Covered:

This warranty is extended only to Q's resellers or OEMs of Products and the end user who purchases Products for purposes other than resale (collectively, "Purchaser")

Q Products Warranty Period:

Except as otherwise set forth below, Q warrants that all Q Products shall be free of defects in materials and workmanship for a period of one (1) year from the date of shipment from Q's point of manufacture, or other statutory minimum as required by applicable law, whichever is shorter.

Warranty Claims:

Any Products believed to be defective as covered by this warranty should not be returned without a fully executed Returned Goods Authorization (RGA) from Q Product Support 859-241-2063 covering the specific Products and quantities. All allegedly defective Products must be returned within thirty (30) days from the discovery of the alleged defect(s). Q will inform the purchaser where to ship said Product(s), shipping charges prepaid by Purchaser, for examination. In the event such examination reveals a defect covered by this warranty, Q will, at its sole option, repair and/or replace the Product, and return it or its replacement to the Purchaser, with charges only for shipping.

Exclusions:

This warranty specifically excludes, and Q shall not be held responsible, and this warranty does not cover the following:

- A. DAMAGE CAUSED BY PRODUCT MALFUNCTION OR FAILURE ATTRIBUTABLE TO ACTS OF GOD, OR OTHER FORCE MAJEURE EVENTS.
- B. IMPROPER USE OR INSTALLATION BY PURCHASER.
- C. PURCHASER'S FAILURE TO FOLLOW Q'S OPERATING INSTRUCTIONS OR ENVIRONMENTAL SPECIFICATIONS.
- D. INCORRECT APPLICATION, MODIFICATION, VANDALISM, EROSION OR CORROSION, SHIPPING AND/OR HANDLING, IMPROPER STORAGE, ACCIDENT, MISUSE, ABUSE OR ANY OTHER CAUSE NOT WITHIN THE CONTROL OF Q OTHER THAN ORDINARY WEAR AND TEAR.



- E. THIS WARRANTY IS VOID IF ANY MODIFICATION IS MADE TO THE WARRANTY PRODUCT, REGARDLESS OF WHETHER THE MODIFICATION CAUSES OR CONTRIBUTES TO THE ALLEGED DEFECT. ALL MODIFICATIONS ARE MADE AT THE RISK AND EXPENSE OF THE PARTY MAKING THE MODIFICATIONS.
- F. Q SHALL NOT BE LIABLE FOR ANY REPAIRS, REPLACEMENTS, OR ADJUSTMENTS TO THE PRODUCT OR ANY COSTS OF LABOR PERFORMED BY THE PURCHASERS (INCLUDING COSTS ASSOCIATED WITH INSTALLING, REMOVING OR REINSTALLATION OF THE PRODUCT) OR OTHERS WITHOUT THE COMPANY'S PRIOR WRITTEN APPROVAL.
- G. Q PROVIDES NO WARRANTY OR GUARANTEE THAT ITS PRODUCTS WILL FUNCTION PROPERLY OR BE MECHANICALLY COMPATIBLE WITH PRODUCTS NOT MANUFACTURED BY Q.
- H. Q DOES NOT WARRANT ITS LOCK PRODUCTS TO BE IMPERVIOUS TO FORCIBLE OR SURREPTITIOUS ENTRY, AND Q SHALL HAVE NOT LIABILITY FOR DAMAGE TO OR LOSS OF PROPERTY SOUGHT TO BE PROTECTED BY ANY SUCH LOCK.

Third Party Warranty:

Except as otherwise provided above, Q makes no warranty, express or implied, with regard to third party hardware or software and expressly disclaims the implied warranties or conditions of merchantability or merchantable quality, fitness for a particular purpose, title, infringement and those arising by statute or otherwise in law. Purchaser's sole recourse for warranty claims is with the third-party manufacturer of the product. However, Q agrees to pass through any third-party warranty that Q receives from the third-party manufacturer of the products to Purchaser. The extent of any third-party warranty details, terms and conditions, remedies and procedures may be expressly stated on, or packaged with, or otherwise accompanying the such third party products, however, Q does not accept liability related to a third party's failure to provide such terms and conditions, remedies and procedures.

LIMITATION OF WARRANTIES:

THIS WARRANTY IS GIVEN EXPRESSLY AND IN PLACE OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. THERE ARE NO FURTHER UNDERSTANDINGS, AGREEMENTS, REPRESENTATIONS, OR WARRANTIES BETWEEN Q AND THE PURCHASER REGARDING THE TERMS OF THIS WARRANTY NOT SPECIFIED HEREIN. Q SHALL NOT, IN ANY EVENT, BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES SUFFERED BY PURCHASER OR ANYONE CLAIMING BY, THROUGH OR UNDER PURCHASER, AS A RESULT OF THE CONDITION OF THIS PRODUCT, OR ANY PART OR PORTION THEREOF. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR PROHIBIT THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND EXCLUSIONS MAY NOT APPLY IN YOUR STATE. THIS WARRANTY IS GOVERNED BY THE LAWS OF THE COMMONWEALTH OF KY WITHOUT REGARD TO ITS CONFLICTS OF LAW PRINCIPLES. Q AND PURCHASER AGREE THAT THE UNITED NATIONS CONVENTION OF CONTRACTS FOR THE INTERNATIONAL SALE OF GOODS SHALL NOT APPLY TO SALE OF THE PRODUCTS COVERED BY THIS WARRANTY.



NL Lock Manufacturing

At QSecurity Industries manufacturing plant, our goal is to make quality high security products that work! For a Long... Long... time. Every step of the way from design to completion, leading industry veterans are hands-ON. We've sourced the best possible materials and components worldwide, made to OUR specifications, and it's here in Kentucky where it all comes together. Though our product lineup is extensive, we have still greater advancements in the works!



Innovative. Elegant. Simplified High Security.

QSecurityProducts.com